

CONNECTORS + ADAPTERS



Mulder-Hardenberg bv, The Netherlands
Tel.: +31 (0)23 - 531 91 84
info1@m-h.biz

Mulder-Hardenberg N.V., Belgium
Tel.: +32 (0)3 - 660 13 20
infoe@m-h.biz

Mulder-Hardenberg GmbH, Germany
Tel.: +49 (0)6192 - 97 91 85
infoe@m-h.biz

www.mulder-hardenberg.com

HDMI adapters.....	122	Audio/Video adapters	134
DVI adapters.....	124	Telephone adapters.....	140
USB adapters.....	126	Telephone adapters & modular plug / adapters	146
FireWire adapters.....	128	Modular plug / adapters	147
Gender Changer & Serial adapters	129	TV/SAT adapters	149
SCSI adapters and Terminators	131	LWLPlugs/ adapter	150
PS/2 and Serial adapters	132		



HDMI adapter

- HDMI type A (19-pin) jack -> HDMI type A (19-pin) jack
- Molded housing
 - Color: black



192572 / AB 560



HDMI adapter

- HDMI type A (19-pin) plug -> HDMI type A (19-pin) jack
- Molded housing
 - Color: black



192589 / AB 561 AB 561



HDMI adapter

- HDMI type A (19-pin) plug -> HDMI type A (19-pin) plug
- Molded housing
 - Color: black



192596 / AB 562 AB 562



HDMI adapter

- HDMI type A (19-pin) jack <=> HDMI type A (19-pin) jack
- Molded housing
 - Gold plated
 - Color: yellow



226505 / AK-408009



HDMI adapter, 90° angled

- HDMI type A (19-pin) jack <=> HDMI type A (19-pin) plug
- Molded housing
 - Gold plated
 - Color: yellow



226413 / AK-408003



HDMI adapter

- HDMI Typ C (19-pin) jack <=> HDMI Typ A (19-pin) plug
- Molded housing
 - Gold plated
 - Color: black



226406 / AK-408002

DIGITUS® Blister HDMI - DVI adapter

HDMI type A (19-pin) plug -> DVI-D (24+1) jack

- Molded housing
- Color: black
- In blisterpackage



172512 / DB-171706 DB-171706

HDMI - DVI adapter

HDMI type A (19-pin) plug -> DVI-D (24+1) jack

- Molded housing
- Color: black




171706 / AB 556 AB 556

DIGITUS® Blister HDMI - DVI adapter

HDMI type A (19-pin) plug -> DVI-D (24+1) plug

- Molded housing
- Color: black
- In blisterpackage



197294 / DB-192565 DB-192565

HDMI -> DVI adapter

HDMI type A (19-pin) plug -> DVI-D (24+1) plug

- Molded housing
- Color: black



192565 / AB 557

HDMI - DVI adapter

HDMI type A (19-pin) jack -> DVI-D (24+1) jack

- Molded housing
- Color: black



192619 / AB 567

HDMI - DVI adapter

HDMI Typ A (19-pin) jack <=> DVI-D (24+1) plug

- Molded housing
- Gold plated
- Color: black




226499 / AK-408005



DVI-D adapter

DVI-D (24+1) plug <=> DVI-D (18+1) jack

- Molded housing
- Color: black



226512 / AK-410001



DVI-D adapter

DVI-D (24+1) plug <=> DVI-D (18+1) jack

- Molded housing
- Color: black



226529 / AK-410002




DVI adapter

Digital/Analog adapter Dual-Link to Single-Link

DVI-D (18+1) plug <=> DVI-I (24+5) jack

- Molded housing
- Color: black



226536 / AK-410003



DVI adapter

Digital/Analog adapter Dual-Link to Single-Link

DVI-I (24+1) plug <=> DVI-I (24+5) jack

- Molded housing
- Color: black



226550 / AK-410005



DVI adapter


Digital/Analog adapter (Dual-Link)

DVI-I (24+5) jack <=> DVI-I (24+5) jack

- Molded housing
- Color: black



226567 / AK-410007



DVI-I adapter

Digital/Analog adapter (Dual-Link)

DVI-I (24+5) plug <=> DVI-I (24+5) jack

- Molded housing
- Color: black



126324 / AB 545

Computer

Power

Audio

Video

Telephone

TV/SAT

Raw Cables

Connectors + Adapters

Wall Plates

Accessories + Test devices

DIGITUS® Blister DVI-I - VGA adapter

DVI-I (24+5) plug <=> HD D-Sub15-pin plug

- Molded housing
- Plugs with thumb screws, socket with UNC4-40 bolts
- Jack with clip interlocking
- Color: black
- In blisterpackage



119289 / DB-083672

DVI-I - VGA adapter

DVI-I (24+5) plug <=> HD D-Sub 15-pin jack

- Molded housing
- Plugs with thumb screws, socket with UNC4-40 bolts
- Jack with clip interlocking
- Color: black





083672 / AB 543

DIGITUS® Blister DVI-I - VGA adapter

DVI-I (24+5) jack <=> HD D-Sub15-pin plug

- Molded housing
- Plugs with thumb screws, socket with UNC4-40 bolts
- Jack with clip interlocking
- Color: black
- In blisterpackage



119302 / DB-083689

DVI-I - VGA adapter

DVI-I (24+5) jack <=> HD D-Sub 15-pin plug

- Molded housing
- Plugs with thumb screws, socket with UNC4-40 bolts
- Jack with clip interlocking
- Color: black




083689 / AB 544

DVI-I - HPC (DFP) adapter

DVI-D plug <=> HPC20 jack

- Molded housing
- Jack with clip interlocking
- Color: black




083634 / AB 540

DVI-I - HPC20 (DFP) adapter

DVI-D jack <=> HPC20 plug

- Molded housing
- Jack with clip interlocking
- Color: black




083641 / AB 541



USB adapter, A to B

- USB A jack <=> USB B jack
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: beige




066866 / A-USB-1



USB adapter, A to B

- USB A jack <=> USB B plug
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: beige



066873 / A-USB-2



USB adapter

- USB A plug <=> USB B jack
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: beige





066880 / A-USB-3



USB adapter

- USB A jack <=> USB A jack
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: beige



052692 / A-USB-4



USB adapter, B to B

- USB B plug <=> USB B plug
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: beige



052739 / A-USB-6



USB adapter, A to A

- USB A plug <=> USB A jack
- Molded housing
 - USB 1.1 and USB 2.0 compatible
 - Color: black



224549 / A-USB-7

DIGITUS® USB to serial adapter, USB 1.1 & USB 2.0

- Compliant with USB 1.1 standard
- Supports RS 232 serial interface
- Maximum data transfer rate of over 1Mbps
- Can be used for PDA and modems
- USB extension cable also supplied / approx. 80cm long
- Support for following operating systems:
Windows 98/2000/XP/Vista/Linux and Mac OS V8.6
- Chipset: PROLIFIC PL-2303HX



170419 / DA-70145

DIGITUS® USB to serial adapter, USB 1.1 & USB 2.0

- Compliant with USB 2.0 standard
- Supports RS 232 serial interface
- Maximum data transfer rate of over 1Mbps
- Can be used for PDA and modems
- USB extension cable also supplied / approx. 80cm long
- Support for following operating systems:
Windows 98SE/2000/XP/Vista/Linux and Mac OS V8.6
- Chipset: FTDI / FT232BM



170426 / DA-70146

DIGITUS® USB2.0 eSATA adapter

- Easily connect external SATA, SATAII hard disk with USB
- No extra driver needed
- Incl. eSATA connection cable
- With one-touch backup function, software based
- Support OS: Windows 2000 / XP / Vista
MacOS/9 (9.2.2 recommendations) and 10.2.8 or 10.3 OSX recommendation



239284 / DA-70149-1

DIGITUS® USB 1.1 -> PS/2 adapter

- Compatible with USB specification revision 1.1
- Supports PCs and SUN computers
- 2 x MiniDIN 6-pin female for PS/2 mouse and keyboard
- Power supply for the connected USB devices via the port
- USB Hot Plug and Play support
- USB connector cable with USB A male
- Software requirements: Win 98SE/ ME/ 2000/ XP/ Vista



117933 / DA-70118



FireWire IEEE 1394A adapter

1394A 6-pin jack <=> 1394A 4-pin plug

- Molded housing
- IEEE 1394A compatible
- Color: black



076162 / AB-1394-1



FireWire IEEE 1394A adapter

1394A 6-pin jack <=> 1394A 4-pin jack

- Molded housing
- IEEE 1394A compatible
- Color: black



118053 / AB-1394-7



FireWire IEEE 1394A adapter

394A 4-pin plug <=> 1394A 4-pin plug

- Molded housing
- IEEE 1394A compatible
- Color: black



118015 / AB-1394-4



FireWire IEEE 1394A adapter

1394A 4-pin jack <=> 1394A 4-pin jack

- Molded housing
- IEEE 1394A compatible
- Color: black



118039 / AB-1394-5



FireWire IEEE 1394A adapter

1394A 6-pin jack <=> 1394A 6-pin jack

- Molded housing
- IEEE 1394A compatible
- Color: black



076179 / AB-1394-2



FireWire IEEE 1394A adapter, crossover

1394A 6-pin jack <=> 1394A 6-pin jack, crossover

- Molded housing
- IEEE 1394A compatible
- Color: black



117995 / AB-1394-3

Mini Gender-Changer / 9-pin

D-Sub 9-pin plug <=> D-Sub 9-pin plug

- Metal version
- Assignment 1:1
- With hex-screws

059837 / AB 410



Mini Gender-Changer / 9-pin

D-Sub 9-pin jack <=> D-Sub 9-pin jack

- Metal version
- Assignment 1:1
- With hex-screws

059844 / AB 411



Mini Gender-Changer / 15-pin

D-Sub 15-pin plug <=> D-Sub 15-pin plug

- Metal version
- Assignment 1:1
- With hex-screws

059851 / AB 412



Mini Gender-Changer / 15-pin

D-Sub 15-pin jack <=> D-Sub 15-pin jack

- Metal version
- Assignment 1:1
- With hex-screws

059868 / AB 413




Mini Gender Changer / 25-pin

D-Sub 15-pin plug <=> D-Sub 15-pin plug

- Metal version
- Assignment 1:1
- With hex-screws

059875 / AB 414




Mini Gender Changer / 25-pin

D-Sub 15-pin jack <=> D-Sub 15-pin jack

- Metal version
- Assignment 1:1
- With hex-screws

059882 / AB 415







Mini Gender Changer / 15-pin

HD D-Sub 15-pin plug <=> HD D-Sub 15-pin plug

- Metal version
- Assignment 1:1
- With hex-screws



059899 / AB 418



Mini Gender Changer / 15-pin

HD D-Sub 15-pin jack <=> HD D-Sub 15-pin jack

- Metal version
- Assignment 1:1
- With hex-screws



059905 / AB 420



Mini Null-Modem adapter

D-Sub 9-pin plug <=> D-Sub 9-pin jack

Suitable for data exchange between two PCs via the serial port. Assignment:(9-pin version corresponds to the signals from the 25-pin version): 1-1, 2-3, 3-2, 4,5-8, 6-20, 7-7, 8-4,5, 20-6, G-G.




049548 / AB NM9



Mini Null-Modem adapter

D-Sub25-pin plug <=> D-Sub25-pin jack

Suitable for data exchange between two PCs via the serial port. Assignment:(9-pin version corresponds to the signals from the 25-pin version): 1-1, 2-3, 3-2, 4,5-8, 6-20, 7-7, 8-4,5, 20-6, G-G.



049531 / AB NM25 AB NM25



RS 232 adapter

AB 467 = D-Sub 9-pin plug <=> D-Sub 25-pin plug
AB 468 = D-Sub 9-pin plug <=> D-Sub 25-pin jack
AB 469 = D-Sub 9-pin jack <=> D-Sub 25-pin jack
AB 470 = D-Sub 9-pin jack <=> D-Sub 25-pin plug

- Metal version
- D-Sub 25-pin with screw eyes
- D-Sub 9-pin with hex-screws



059936 / AB 467

059943 / AB 468


059950 / AB 469

059967 / AB 470

External LVD 320 terminator, with LED

- D-Sub 68-pin, HP, male, screw
- LVD/SE 320 with LED, active

129448 / AB EXT320 active, LVD/SE



Internal SCSI 2 terminator

- 50-pin, SP, Box header
- Single-ended


060390 / AB 770 active



Internal Mini SCSI adapter

- 50-pin box header, SP <=> D-Sub 68-pin, HP, male
- Molded mini version


060802 / AB 844/MOLDED Mini SCSI adapter



Internal Mini SCSI adapter

- 50-pin socket connector, SP <=> D-Sub 68-pin, HP, female
- Molded version


060826 / AB 845/MOLDED Mini SCSI adapter



SCA adapter, internal

- Internal 1: SCA CENT 80-pin, HP, female
- Internal 2: D-Sub 68-pin, HP, female
- With 4-pin power supply plug and ID connector


061182 / AB SCA-2 SCA adapter, internal



SCA multi adapter, internal, with termination

- Internal 1: SCA CENT 80-pin, HP, female
- Internal 2: 50-pin box header
- Internal 3: D-Sub 68-pin, HP, female
- With 4-pin power supply plug and ID connector

061199 / AB SCA-3 active





DIGITUS® Blister PS/2 keyboard adapter

MiniDIN 6-pin jack <=> DIN 5-pin plug

- Molded housing
- Color: beige
- In blisterpackage



080275 / DB-061090



PS/2 keyboard adapter

MiniDIN 6-pin jack <=> DIN 5-pin plug

061090 / AB 961



DIGITUS® Blister PS/2 keyboard adapter

MiniDIN 6-pin jack <=> DIN 5-pin jack

- Molded housing
- Color: beige
- In blisterpackage



080268 / DB-059912



PS/2 keyboard adapter

MiniDIN 6-pin plug <=> DIN 5-pin jack

- Molded housing
- Color: beige

059912 / AB 440



PS/2 mouse adapter, only for combo mice

MiniDIN 6-pin jack <=> D-Sub 9-pin plug

- Molded housing
- Color: beige

059813 / AB 401



PS/2 Mouse adapter, only for Combo Mouses

MiniDIN 6-pin plug <=> D-Sub 9-pin plug

- Molded housing
- Color: beige

059820 / AB 405 AB 405

PS/2 mouse adapter, only for combo mice

MiniDIN 6-pin jack <=> D-Sub 9-pin jack

- Molded housing
- Color: beige



049074 / AB 406

Serial adapter

D-Sub 9-pin plug <=> D-Sub 25-pin plug

- Molded housing
- Color: beige



061014 / AB 913

Serial adapter

D-Sub 9-pin jack <=> D-Sub 25-pin plug

- Molded housing
- Color: beige



061021 / AB 914

Serial adapter

D-Sub 9-pin plug <=> D-Sub 25-pin jack

- Molded housing
- Color: beige



061038 / AB 914 F

Serial adapter

D-Sub 9-pin jack <=> D-Sub 25-pin jack

- Molded housing
- Color: beige



061045 / AB 915



Audio adapter

3.5mm mono plug <=> 6.3mm stereo jack

- Molded housing
- Color: black

110101 / AB-AV 101



Audio adapter, mono

3.5mm mono plug <=> 6.3mm mono jack

- Molded housing
- Color: black

110163 / AB-AV 107



similar to original product

DIGITUS® Blister Audio adapter, mono

3.5mm mono plug <=> RCA jack

- Molded housing
- Color: black
- In blisterpackage



148920 / DB-110118



similar to original product

Audio adapter, mono

3,5mm mono plug <=> RCA jack

- Molded housing
- Color: black

110118 / AB-AV 102



Audio adapter

3.5mm stereo plug <=> 6.3mm stereo jack

- Molded housing
- Color: black

110125 / AB-AV 103



DIGITUS® Blister Audio adapter, stereo

3.5mm stereo plug <=> 2x 3.5mm stereo jack

- Molded housing
- Color: black
- In blisterpackage



125235 / DB-110149

Audio adapter

3.5mm stereo plug <=> 2x 3.5mm stereo jack

- Molded housing
- Color: black



110149 / AB-AV 105

Audio adapter, stereo

3.5mm plug <=> 2x RCA jack

- Molded housing
- Color: black



110156 / AB-AV 106

Audio adapter, stereo

6.3mm stereo plug <=> 2x RCA jack

- Molded housing
- Color: black



227595 / AK-402012

DIGITUS® Blister audio adapter, mono

6.3mm mono plug <=> RCA jack

- Molded housing
- Color: black
- In blisterpackage



148913 / DB-110095

Audio adapter, mono

6.3mm mono plug <=> RCA jack

- Molded housing
- Color: black



110095 / AB-AV 100

DIGITUS® Blister audio adapter, stereo

6.3mm stereo plug <=> 2x 3.5mm stereo jack

- Molded housing
- Color: black
- In blisterpackage



130147 / DB-110132



Audio adapter, stereo

- 6.3mm stereo plug <=> 2x 3.5mm stereo jack
- Molded housing
 - Color: black

110132 / AB-AV 104



Audio adapter, stereo

- 6.3mm stereo plug <=> 2x 6.3mm stereo jack
- Molded housing
 - Color: black

227601 / AK-402013



Audio adapter, stereo

- 2.5mm stereo plug <=> 3.5mm stereo jack
- Molded housing
 - Color: black

192084 / AB-AV 108



Audio adapter, mono

- RCA plug <=> 6.3mm mono jack
- Molded housing
 - Color: black

110170 / AB-AV 200



Audio adapter, mono

- RCA plug <=> 2x RCA jack
- Molded housing
 - Color: black

110187 / AB-AV 201



RCA adapter, mono

- RCA jack <=> 2x RCA jack
- Molded housing
 - Color: black

227533 / AK-402008

Audio adapter, mono

RCA jack <=> RCA jack

- Molded housing
- Color: black



110194 / AB-AV 202

RCA adapter, stereo

2x RCA jack <=> 2x RCA jack

- Molded housing
- Color: black



227557 / AK-402010

RCA adapter

3x RCA jack <=> 3x RCA jack

- Molded housing
- Non-UL
- Color: black



227564 / AK-402011

DIGITUS® Blister Scart - RCA/S-VHS adapter with switch, high quality

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN 4-pin jack (S-VHS)

- IN/OUT switch
- Gold plated
- Metallic housing
- In blisterpackage




113614 / DB-110750

Scart - RCA/S-VHS adapter with switch, high quality

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN 4-pin jack (S-VHS)

- IN/OUT switch
- Gold plated
- Metallic housing



110750 / AB-AV 500

Scart - RCA/S-VHS adapter with switch

With I/O switch to choose the signal direction.

Scart plug <=> 3x RCA jack + MiniDIN 4-pin jack (S-VHS)

- IN/OUT switch
- Plastic housing
- Color: black



115601 / AB-AV 500LC



Scart - RCA/S-VHS adapter

Signal direction RCA/S-VHS -> Scart

Scart 21-pin plug <=> 3x Cinch jack + S-VHS jack

- Plastic housing
- Color: black

227472 / AK-407004



Scart - RCA/S-VHS adapter

Signal direction Scart -> RCA/S-VHS

Scart 21-pin plug <=> 3x Cinch jack + S-VHS jack

- Plastic housing
- Color: black

227489 / AK-407005



Scart - Cinch adapter

Signal direction Scart -> RCA

Scart 21-pin plug <=> 3x RCA jack

- Plastic housing
- Color: black

083450 / AB 315



Scart - RCA adapter

Signal direction RCA -> Scart

Scart 21-pin plug <=> 3x RCA jack

- Plastic housing
- Color: black

227496 / AK-407007



Scart - RCA adapter with switch

With I/O switch to choose the signal direction.

Scart 21-pin plug <=> 3x RCA jack

- Plastic housing
- Color: black

227502 / AK-407008



S-VHS adapter

S-VHS jack <=> S-VHS jack

- Molded housing
- Color: black

227519 / AK-409001

S-VHS - RCA adapter

S-VHS jack <=> RCA plug

- Molded housing
- Color: black



227526 / AK-409002

Scart switchbox, 2-fold

Connection of 2 video sources to one TV / monitor

- 3x Scart jack
- 1x manual switch for switching between the inputs.
- 1x output for TV / monitor.
- 2x input for video recorder, camera or satellite receiver
- Alternating dubbing option between the two inputs.
- S-VHS replay possible through one input.
- Color: black



131830 / AB-AV 501

Scart switchbox with cable

With switch for choosing of the device to be headed.

Signal direction Scart plug -> 2x Scart jack

Scart 21-pin plug <=> 2x Scart jack

- Plastic housing
- Cable CCS, single shielded
- Color: silver



227465 / AK-507006 0,4 m

Scart + Audio switch panel, 3-fold

Connection of 3 video sources to one TV / monitor

- VHS, S-VHS, Video 8 and HI 8 compatible
- Input RGB signal switchable
- Scart and cinch (video, audio L/R) output for monitor / TV connection
- Dubbing option between the inputs (1-2, 1-3)
- Monitor function (cinch: video, audio L/R) for direct observation of the recording
- 4 x Scart female
- 6 x Cinch female
- Color: black



131854 / AB-AV 502

Scart + Audio switch panel, 3-fold

Connection of 3 video sources to one TV / monitor

- VHS, S-VHS, Video 8 and HI 8 compatible
- Input RGB signal switchable
- Scart and cinch (video, audio L/R) output for monitor / TV connection
- Dubbing option between the inputs (1-2, 1-3)
- Monitor function (cinch: video, audio L/R) for direct observation of the recording
- 4 x Scart female
- 6 x Cinch female
- Color: silver



189497 / AB-AV 502-SI housing color silver



TAE adapter

TAE plug <=> TAE FFN jack + RJ11 6P4C jack

- Plastic housing
- Color: white

248248 / AK-418005



TAE adapter

TAE plug <=> TAE NFN jack + RJ11 6P4C jack

- Plastic housing
- Color: white

248439 / AK-418006



ADSL adapter, Germany

TAE F plug <=> TAE F jack + RJ11 jack

- Molded housing
- Color: black

246565 / AK-418007



Modem adapter, Germany

TAE plug <=> TAE jack + RJ11 jack

- Molded housing
- Color: black

247357 / AK-418008



Modem adapter, Germany

TAE plug <=> RJ11 jack

- Molded housing
- Color: black

247364 / AK-418009



UAE modular adapter RJ11, 6P4C

Modular jack RJ11, 6P4C <=> Modular jack RJ11, 6P4C

- Plastic housing
- Assignment 2-2, 3-3, 4-4, 5-5
- Color: black

246558 / AK-417004

UAE modular adapter RJ45, 8P8C

Modular jack RJ45, 8P8C <=> Modular jack RJ45, 8P8C

- Plastic housing
- Assignment 1:1
- Color: black



247371 / AK-417006

Modular coupler

- 2 x RJ female, assignment 1:1
- Assignment 1:1
- Color: white



066552 / AT-A 6/6 Modular-Coupling, RJ 12 6P6C, unshielded

066569 / AT-A 8/8 Modular-Coupling, RJ 45, 8P8C, unshielded

CAT 5e modular couplings

- Three RJ45 sockets
- 8P8C
- CAT 5e



066576 / AT-AG 2X8/8 Cat 5e Modular-Coupling, 3 x RJ45 female, shielded

066668 / AT-AT 8/8 Cat 5e Modular-Coupling, 3 x RJ45 female, unshielded

IAE 6-way splitter

- 7x RJ45 8P4C jack
- Plastic housing
- 1x input, 6x output
- Integrated 100 Ohm resistors
- Color: white



250180 / AK-516001

ADSL adapter, Great Britain

BS 6312 plug <=> BS 6312 jack + RJ11 jack

- Molded housing
- Color: black



246589 / AK-420004

ADSL adapter, Swiss

Reichle TT89 plug <=> Reichle TT87 jack + RJ11 jack

- Molded housing
- Color: black



246596 / AK-420005



ADSL adapter, France

France plug <=> France jack + RJ11 jack

- Molded housing
- Color: black

246602 / AK-420006



ADSL adapter, Italy

Italy plug <=> Italy jack + RJ11 jack

- Molded housing
- Color: black

246619 / AK-420007



ADSL adapter, Dutch

Dutch plug <=> Dutch jack + RJ11 jack

- Molded housing
- Color: black

246633 / AK-420008



ADSL adapter, Belgium

Belgium plug <=> Belgium jack + RJ11 jack

- Molded housing
- Color: black

246640 / AK-420009



ADSL adapter, Sweden

Sweden plug <=> Sweden jack + RJ11 jack

- Molded housing
- Color: black

246657 / AK-420010



ADSL adapter, Finland

Finland plug <=> Finland jack + RJ11 jack

- Molded housing
- Color: black

246664 / AK-420011

ADSL adapter, Denmark

Denmark plug <=> Denmark jack + RJ11 jack

- Molded housing
- Color: black



246671 / AK-420012

Modem adapter, Great Britain

BS plug <=> BS jack + RJ11 jack

- Molded housing
- Color: black



246695 / AK-420014

Modem adapter, Switzerland

Switzerland plug <=> Switzerland jack + RJ11 jack

- Molded housing
- Color: black



246701 / AK-420015

Modem adapter, France

France plug <=> France jack + RJ11 jack

- Molded housing
- Color: black



246718 / AK-420016

Modem adapter, Italy

Italy plug <=> Italy jack + RJ11 jack

- Molded housing
- Color: black



246725 / AK-420017

Modem adapter, Dutch

Dutch plug <=> Dutch jack + RJ11 jack

- Molded housing
- Color: black



246732 / AK-420018



Modem adapter, Belgium

Belgium plug <=> Belgium jack + RJ11 jack

- Molded housing
- Color: black

246749 / AK-420019



Modem adapter, Sweden

Sweden plug <=> Sweden jack + RJ11 jack

- Molded housing
- Color: black

246756 / AK-420020



Modem adapter, Finland

Finland plug <=> Finland jack + RJ11 jack

- Molded housing
- Color: black

246763 / AK-420021



Modem adapter, Denmark

Denmark plug <=> Denmark jack + RJ11 jack

- Molded housing
- Color: black

246770 / AK-420022



Modem adapter, Switzerland

Switzerland plug <=> Switzerland jack + RJ11 jack

- Molded housing
- Color: black

246879 / AK-420025



Modem adapter, France

France plug <=> RJ11 jack

- Molded housing
- Color: black

246886 / AK-420026

Modem adapter, Italy

Italy plug <=> RJ11 jack

- Molded housing
- Color: black



246893 / AK-420027

Modem adapter, Dutch

Dutch plug <=> RJ11 jack

- Molded housing
- Color: black



246909 / AK-420028

Modem adapter, Belgium

Belgium plug <=> RJ11 jack

- Molded housing
- Color: black



246916 / AK-420029

Modem adapter, Sweden

Sweden plug <=> RJ11 jack

- Molded housing
- Color: black



246923 / AK-420030

Modem adapter, Finland

Finland plug <=> RJ11 jack

- Molded housing
- Color: black



246930 / AK-420031

Modem adapter, Denmark

Denmark plug <=> RJ11 jack

- Molded housing
- Color: black



246947 / AK-420032



Modem adapter, Poland

Poland plug <=> RJ11 jack

- Molded housing
- Color: black

246961 / AK-420033



UAE modular adapter, telephone anti twist, round version

Prevents twisting of the telephone cable, allowing maximum comfort while on the telephone.

Modular plug RJ10, 4P4C <=> Modular jack RJ10, 4P4C

- Plastic housing
- Color: transparent

130222 / AB-TWSTP/B



UAE modular adapter, telephone anti twist, oblongness version

Prevents twisting of the telephone cable, allowing maximum comfort while on the telephone.

Modular plug RJ10, 4P4C <=> Modular jack RJ10, 4P4C

- Plastic housing
- Color: black

246541 / AK-417001



TAE test plug, F/N

The TAE test plug examines and finds out whether the analogous connecting lines were properly connected to the TAE socket.

TAE plug, F/N

- 3 LED's for indication of connection status
- incl. short usage manual
- Color: black

255871 / AK-902001



ISDN (IAE) connecting test device

Modular plug RJ45, 8P/4C <=> Modular jack RJ45, 8P/4C

- With 4x LED's to show connecting status
- With short manual in german language
- Color: blue

255888 / AK-902002

Modular plugs for round cable

- Suitable for quick and simple connecting

057949	/ A-MO 4/4 SR	RJ11 4P4C, Unshielded
057956	/ A-MO 6/4 SR	Modular plug for round cables, RJ14 6P4C, unshielded
065173	/ A-MO 8/8 SR	Modular plug for round cables, RJ45 8P8C, unshielded
065180	/ A-MO 8/8 SRS	Modular plug for round cables, RJ45 8P8C, shielded, CAT 5e



Modular plugs for flat cable, CAT 5e

065104	/ A-MO 4/4 SF	Modular plug for flat cables, RJ10 4P4C, unshielded
065111	/ A-MO 6/4 SF	Modular plug for flat cables, RJ14 6P4C, unshielded
065135	/ A-MO 6/6 SF	Modular plug for flat cables, RJ12 6P6C, unshielded
065159	/ A-MO 8/8 SF	Modular plug for flat cables, RJ45 8P8C, unshielded



CAT 6 Modular plugs for round cable

- UL certified, tested according to Link performance Class D, up to 300 MHz
- Shielded and unshielded types available, incl. hood colour grey


132929	/ A-MO6 8/8 SR	Cat6 Modular plug, RJ45 8P8C, unshielded
--------	----------------	--



Hirose modular plugs for round cable, CAT 5e

- Fully shielded with strain relief and kink protection boot (black)

065142	/ A-MO 8/8 HRS	Modular plug, CAT 5e, inkl. cumb and boot
132943	/ A-MO6 8/8 HRS	Modular plug, CAT 6, inkl. Cumb and Boot



CAT 5e Patch cable adapters, shielded

AT-AG Cx2 assignment: CAT 5e, 1:1 assigned AT-AG Cx2 NEW assignment: CAT 5e, 1-1, 2-2, 3-3, 4-1, 5-2, 6-6, 7-3, 8-6

066590	/ AT-AG CX2	Cat 5e Patch Cable adapter, 2 x RJ45 female, shielded
052364	/ AT-AG CX2NEW	Cat 5e Patch Cable adapter, 2 x RJ45 female, shielded



Kink protection boot for RJ45 plugs

- For 8P8C RJ45 modular plugs
- Suitable for shielded and non-shielded modular plugs

065197	/ A-MOT 8/8	Kink Protection Boot, black
065203	/ A-MOT/B 8/8	Kink Protection Boot, blue
065210	/ A-MOT/E 8/8	Kink Protection Boot, grey
065234	/ A-MOT/R 8/8	Kink Protection Boot, red
065227	/ A-MOT/G 8/8	Kink Protection Boot, green
065241	/ A-MOT/Y 8/8	Kink Protection Boot, yellow





Modular coupler

- 2 x RJ female, assignment 1:1
- Unshielded and shielded CAT 5e, and "Crossover"

066552 / AT-A 6/6 Modular-Coupling, RJ 12 6P6C, unshielded

066569 / AT-A 8/8 Modular-Coupling, RJ 45, 8P8C, unshielded




CAT 6 modular couplers, shielded

- 2 x RJ-45 female
- Shielded version
- Tested according to Link performance class E

132806 / AT-AG6 8/8 Cat6 Modular-Coupling, 8P8C

132813 / AT-AG6 8/8CROSS Cat6 Modular-Coupling, 8P8C, Crossover




CAT 5e modular couplings

- Three RJ45 sockets
- 8P8C
- CAT 5e

066576 / AT-AG 2X8/8 Cat 5e Modular-Coupling, 3 x RJ45 female, shielded

066668 / AT-AT 8/8 Cat 5e Modular-Coupling, 3 x RJ45 female, unshielded




Twisted pair cables connection box

- Connection box in metal case for connection of twisted pair cables.
- The connection will be made via LSA strips.
- Integrated strain relief.

118657 / AT-ALSA-M Cat 5e Connection box

132837 / AT-ALSA6-M Cat6 Connection Box, metal




D-Sub modular adapter

- Free selectable assignment, RJ <=> D-Sub
- PVC housing, color beige.

066439 / AT-23065 D-Sub 9-pin bjack <=> RJ12

066446 / AT-23066 D-Sub 9-pin plug <=> RJ45

066453 / AT-23067 D-Sub 9-pin jack<=> RJ45



D-Sub 25 modular adapter

- Free selectable assignment
- PVC housing, color beige

066415 / AT-23054 D-Sub 25-pin plug <=> RJ45

066422 / AT-23055 D-Sub 25-pin jack <=> RJ45

Coaxial plug, 9.5 mm

- Plastic housing
- Shielding attenuation: 75 dB
- Screwable
- straight design
- Color: white

141952 / A-TVSG-S

**Coaxial plug, 9.5 mm**

- Plastic housing
- Shielding attenuation: 75 dB
- Screwable
- Color: white

141921 / A-TVBG-S A-TVBG-S

**Coaxial cable connector**

- Plastic housing
- Shielding attenuation: 75 dB unshielded
- Color: white

141945 / A-TVKV-S

**Coaxial plug, 9.5 mm, angled**

- Plastic housing
- Shielding attenuation: 75 dB
- Screwable
- Color: white

141938 / A-TVBW-S

**F-Plug, 6.8 mm**

- Plug length 20 mm, milled version.
- Cable diameter: 6.8 mm
- Twist-on diameter: 6.57 mm
- Dielectric diameter: 4.80 mm
- Without rings
- Nickel plated design

141891 / A-SATS-068-S

**F-Socket**

- F-Socket <=> F-Socket

141884 / A-SATKV-BB-S



CABLES

Computer

Power

Audio

Video

Telephone

TV/SAT


Raw Cables

Connectors +
Adapters

Wall Plates

Accessories +
Test devices


SC / SC couplers



007562 / ALWL-SCK1D Phosphor bronze sleeve

007586 / ALWL-SCK2D Zirconia sleeve


LC / LC couplers



163640 / ALWL-LC1D Phosphor bronze sleeve

186823 / ALWL-LC2D zirconia sleeve

ST / SC couplers



007647 / ALWL-STSC1D Phosphor bronze sleeve

180012 / ALWL-STSC2D-P Zirconia sleeve


ST / ST couplers



007630 / ALWL-STK2 Phosphor bronze sleeve

007623 / ALWL-STK1 Singlemode, zirconia sleeve

SC Duplex connectors



007555 / ALWL-SCD Phosphor bronze sleeve, two color boots

179030 / ALWL-SCD-9 Zirconia sleeve, blue color boot

ST Simplex connectors



007616 / ALWL-ST Phosphor bronze, black boot

178927 / ALWL-ST-9 Zirconia sleeve, yellow boot